



HOW TO CHECK AND VERIFY THE DATA QUALITY FOR SUBMISSION



**WENJUN BAO, PH.D.
CHIEF SCIENTIST, JMP LIFE SCIENCES, SAS INC.
ADJUNCT PROFESSOR, FUDAN UNIVERSITY
NOV. 13, 2015**

DATA QUALITY

- Risk-Based Monitoring (RBM)
- Enrollment Pattern
- Fraud Detection

药物临床试验数据自查核查



食品药品审核查验中心

药物临床试验数据核查工作要求

4. 药物临床机构抽查原则。多中心临床试验抽查2-3个临床试验机构，必要时，可扩大核查范围，适当增加抽查机构数。临床试验场点抽查风险考虑因素包括：

- (1) 有效性结果明显高于其他中心或者同类临床试验结果的临床试验中心； **Efficacy**
- (2) 安全性数据（不良事件、预期的严重不良事件）明显低于/高于其它中心或者同类临床试验结果的临床试验中心； **Safety: AE and SAE**

药物临床试验数据自查核查



食品药品审核查验中心

药物临床试验数据核查工作要求

(3) 试验入组速度明显快于其他中心的临床试验中心; Enrollment Speed

(4) 试验筛选成功率明显高于常规的临床试验中心; Screen Success Rate


(5) 试验脱落率明显高于常规的临床试验中心; Discontinued Rate

(6) 试验入组人数最多的临床试验中心;

(7) 担任组长单位的临床试验中心。Leader's Site

Enrollment

药物临床自查核查



RISK-BASED MONITORING (RBM)




Position Paper: Risk-Based Monitoring Methodology

1. Abstract

Current On-site Monitoring practices are frequency-based, conform to a prescribed monitoring visit schedule, and provide generalized quality control at investigational sites. Although this practice does provide a level of control, advances in risk-based approaches and technology provide an opportunity for a more holistic and proactive approach through Off-site and Central Monitoring and a targeted approach to On-site Monitoring. RBM employs **Centralized and Off-site** mechanisms to monitor important study parameters **holistically** and uses adaptive On-site Monitoring to further support site processes, subject safety, and data quality.

RISK-BASED MONITORING (RBM)



国家和中心级的基于风险监查

安全性

不良反应

严重不良反应

参与性

脱落

筛选

Risk Indicators

Overall Risk Indicator

Overall Risk Indicator Adverse Events

Overall Risk Indicator Disposition

Overall Risk Indicator Enrollment

Overall Risk Indicator Manually Entered

AEs per PatientWeek

Average AEs per Randomized Subject

Average Computed Deviations per Randomized Subject

Average Missing Pages per Randomized Subject

Average Overdue Queries per Randomized Subject

Average Queries per Randomized Subject

Average SAEs per Randomized Subject

CRF Entry Response Time

Computed Deviations per PatientWeek

Deaths per PatientWeek

Missing Pages per PatientWeek

Observed Minus Expected Randomized

Overdue Queries per PatientWeek

Percent Deaths of Randomized Subjects

Percent Discontinued of Randomized Subjects

Percent Screen Fail of Total Subjects

Queries per PatientWeek

Query Response Time

Randomized per Week Active

SAEs per PatientWeek

地图显示国家级的风险监控

不良反应 AES PER PATIENTWEEK

[Output Description](#)

Site-Level Data

Site-Level Distributions

Site-Level Map

Country-Level Data

Country-Level Distributions

Country-Level Map

Drill Downs

Risk Indicators

Overall Risk Indicator

Overall Risk Indicator Adverse Events

Overall Risk Indicator Disposition

Overall Risk Indicator Enrollment

Overall Risk Indicator Manually Entered

AEs per PatientWeek

Average AEs per Randomized Subject

Average Computed Deviations per Randomized Subject

Average Missing Pages per Randomized Subject

Average Overdue Queries per Randomized Subject

Average Queries per Randomized Subject

Average SAEs per Randomized Subject

CRF Entry Response Time

Computed Deviations per PatientWeek

Deaths per PatientWeek

Missing Pages per PatientWeek

Observed Minus Expected Randomized

Overdue Queries per PatientWeek

Percent Deaths of Randomized Subjects

Percent Discontinued of Randomized Subjects

Percent Screen Fail of Total Subjects

Queries per PatientWeek


Query Response Time

Randomized per Week Active

SAEs per PatientWeek

Local Data Filter

Country-Level Data



地图显示中心级的风险监控

中心级严重不良反应 AVE SAES PER RANDOMIZED SUBJECTS

[Output Description](#)

Site-Level Data

Site-Level Distributions

Site-Level Map

Country-Level Data

Country-Level Distributions

Country-Level Map


Drill Downs

Risk Indicators

- Overall Risk Indicator
- Overall Risk Indicator Adverse Events
- Overall Risk Indicator Disposition
- Overall Risk Indicator Enrollment
- Overall Risk Indicator Manually Entered
- AEs per PatientWeek
- Average AEs per Randomized Subject
- Average Computed Deviations per Randomized Subject
- Average Missing Pages per Randomized Subject
- Average Overdue Queries per Randomized Subject
- Average Queries per Randomized Subject
- Average SAEs per Randomized Subject
- CRF Entry Response Time
- Computed Deviations per PatientWeek
- Deaths per PatientWeek
- Missing Pages per PatientWeek
- Observed Minus Expected Randomized
- Overdue Queries per PatientWeek
- Percent Deaths of Randomized Subjects
- Percent Discontinued of Randomized Subjects
- Percent Screen Fail of Total Subjects
- Queries per PatientWeek
- Query Response Time
- Randomized per Week Active
- SAEs per PatientWeek

Local Data Filter

Site-Level Data



地图显示国家级风险监控

脱落: PERCENT DISCONTINUED OF RANDOMIZED SUBJECT

[Output Description](#)

Site-Level Data

Site-Level Distributions

Site-Level Map

Country-Level Data

Country-Level Distributions

Country-Level Map


Drill Downs

Risk Indicators

- Overall Risk Indicator
- Overall Risk Indicator Adverse Events
- Overall Risk Indicator Disposition
- Overall Risk Indicator Enrollment
- Overall Risk Indicator Manually Entered
- AEs per PatientWeek
- Average AEs per Randomized Subject
- Average Computed Deviations per Randomized Subject
- Average Missing Pages per Randomized Subject
- Average Overdue Queries per Randomized Subject
- Average Queries per Randomized Subject
- Average SAEs per Randomized Subject
- CRF Entry Response Time
- Computed Deviations per PatientWeek
- Deaths per PatientWeek
- Missing Pages per PatientWeek
- Observed Minus Expected Randomized
- Overdue Queries per PatientWeek
- Percent Deaths of Randomized Subjects
- Percent Discontinued of Randomized Subjects**
- Percent Screen Fail of Total Subjects
- Queries per PatientWeek
- Query Response Time
- Randomized per Week Active
- SAEs per PatientWeek

Local Data Filter

Country-Level Data



地图显示中心级的风险监控

筛选: PERCENT SCREEN FAIL OF TOTAL SUBJECTS

[Output Description](#)

Site-Level Data

Site-Level Distributions

Site-Level Map

Country-Level Data

Country-Level Distributions

Country-Level Map


Drill Downs

Risk Indicators

- Overall Risk Indicator
- Overall Risk Indicator Adverse Events
- Overall Risk Indicator Disposition
- Overall Risk Indicator Enrollment
- Overall Risk Indicator Manually Entered
- AEs per PatientWeek
- Average AEs per Randomized Subject
- Average Computed Deviations per Randomized Subject
- Average Missing Pages per Randomized Subject
- Average Overdue Queries per Randomized Subject
- Average Queries per Randomized Subject
- Average SAEs per Randomized Subject
- CRF Entry Response Time
- Computed Deviations per PatientWeek
- Deaths per PatientWeek
- Missing Pages per PatientWeek
- Observed Minus Expected Randomized
- Overdue Queries per PatientWeek
- Percent Deaths of Randomized Subjects
- Percent Discontinued of Randomized Subjects
- Percent Screen Fail of Total Subjects**
- Queries per PatientWeek
- Query Response Time
- Randomized per Week Active
- SAEs per PatientWeek

Site-Level Data

Local Data Filter




红绿灯图显示中心级的风险监控


总风险评估

Drill Downs												
Risk Indicators												
Overall Risk Indicator	Study Site Identifier	Country	City	State or Province	Monitor	Overall Risk Indicator	Overall Risk Indicator Adverse	Overall Risk Indicator...	Overall Risk Indicator...	Overall Risk Indicator Manually	Total Subjects	Rank
Overall Risk Indicator Adverse Events	1 01	USA	New York	NY	Monitor G	0.518	0.441	0.056	0.607	0.603	51	
Overall Risk Indicator Disposition	2 02	USA	Orlando	FL	Monitor F	0.257	0.637	0.448	0.218	0.047	32	
Overall Risk Indicator Enrollment	3 03	USA	Indianapolis	IN	Monitor E	0.127	0.205	0.497	0.000	0.069	23	
Overall Risk Indicator Manually Entered	4 04	FRA	Paris	Ile-de-France	Monitor I	0.522	0.535	0.027	0.000	0.773	26	
AEs per PatientWeek	5 05	ITA	Milano	Lombardia	Monitor H	1.729	1.288	3.660	2.120	1.498	5	
Average AEs per Randomized Subject	6 06	USA	Philadelphia	PA	Monitor G	1.443	2.481	1.289	0.000	1.431	7	
Average Computed Deviations per Randomized Subject	7 07	CHN	Guangzhou	Guangdong Sheng	Monitor K	1.367	1.682	1.107	0.000	1.709	5	
Average Missing Pages per Randomized Subject	8 08	GBR	Birmingham	Birmingham	Monitor J	0.593	1.149	1.052	0.000	0.435	23	
Average Overdue Queries per Randomized Subject	9 09	CAN	Montreal	Quebec	Monitor A	0.301	0.400	0.629	0.356	0.178	40	
Average Queries per Randomized Subject	10 10	USA	Baltimore	MD	Monitor G	0.287	0.687	0.432	0.000	0.158	17	
Average SAEs per Randomized Subject	11 12	DEU	Berlin	Berlin	Monitor H	0.483	0.881	1.346	0.008	0.299	16	
CRF Entry Response Time	12 14	CAN	Toronto	Ontario	Monitor A	0.437	0.552	0.850	1.368	0.000	75	
Computed Deviations per PatientWeek	13 16	USA	Seattle	WA	Monitor B	0.662	0.597	1.282	0.669	0.589	39	
Deaths per PatientWeek	14 17	USA	Los Angeles	CA	Monitor C	0.370	1.072	0.327	0.000	0.151	18	
Missing Pages per PatientWeek	15 18	JPN	Osaka	Osaka	Monitor L	0.529	0.548	1.155	0.109	0.556	22	
Observed Minus Expected Randomized	16 19	CAN	Ottawa	Ontario	Monitor A	0.721	0.368	0.682	1.178	0.752	9	
Overdue Queries per PatientWeek	17 20	FRA	Marseille	Provence-Alpes-C	Monitor I	0.152	0.286	0.382	0.027	0.088	18	
Percent Deaths of Randomized Subjects	18 21	ESP	Barcelona	Cataluna	Monitor I	0.379	0.420	0.169	0.000	0.520	10	
Percent Discontinued of Randomized Subjects	19 22	CAN	Calgary	Alberta	Monitor B	0.508	1.209	0.058	0.067	0.381	23	
Percent Screen Fail of Total Subjects	20 23	USA	Chicago	IL	Monitor E	0.174	0.136	0.095	0.225	0.188	29	
Queries per PatientWeek	21 24	CHN	Shanghai	Shanghai Shi	Monitor K	0.243	0.221	0.838	0.002	0.235	21	
Query Response Time	22 25	USA	Miami	FL	Monitor F	0.538	0.936	1.107	0.000	0.424	15	
Randomized per Week Active	23 26	DEU	Muenchen	Bayern	Monitor H	0.623	0.633	0.648	0.000	0.822	8	
SAEs per PatientWeek	24 27	CHE	Geneve	Geneve	Monitor I	0.201	0.249	0.116	0.176	0.200	24	
	25 28	CAN	Vancouver	British Columbia	Monitor B	0.460	0.073	0.069	1.334	0.326	74	

基于风险监控 (RBM)


RISK INDICATORS: SUGGESTION ACTION






入组

某中心治疗和对照组入组速度及人数



入组

各中心入组的随机性



FRAUD DETECTION



Birthdays and Initials



Cluster Subjects Across Study Sites



Weekdays and Holidays



Add Holiday or Event



Edit Holiday and Event Data Set



Perfect Scheduled Attendance



Constant Findings



Duplicate Records



Digit Preference




Multivariate Inliers and Outliers



Cluster Subjects Within Study Sites


HOLIDAYS AND WEEKENDS



FRAUD DETECTION

DIGIT PREFERENCE


Graph Builder Study Site Identifier=16, Domain=VS, Test Name=Diastolic Blood Pressure




FRAUD DETECTION

DIGIT PREFERENCE

Digit Preference Volcano Plot



JMP CLINICAL: CLINICAL TRIAL STUDY SOLUTION





THE
POWER
TO KNOW.

Thank You!!

WENJUN.BAO@JMP.COM