




Navigate Clinical Study Report Tables and Listings - The iTable & iListing project



October 2024 / Katja Glaß





Disclaimer

Data presented is
deducted and anonymized
from a real study from 2020



Agenda

- // Introduction
- // Solution
- // Architecture
- // Implementation
- // Use Cases
- // Opportunities
- // Summary



Introduction

iListing & iTable - why?

- “Tables, Figures and Graphs” along with “Appendices” according ICH E3
 - Tables section & listings section
- Listings are a view of clinical database, no summaries
- Numerous huge documents
 - Example phase 3 study, 84 documents for listings alone, each up to 15.000 pages

16244_csr_16.2.6_efficacy_clinical_pharmacology_data_part_27.doc	42.298 KB
16244_csr_16.2.6_efficacy_clinical_pharmacology_data_part_28.doc	17.474 KB
16244_csr_16.2.7_adverse_events_part_1.doc	59.690 KB
16244_csr_16.2.7_adverse_events_part_2.doc	32.413 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_2.doc	49.833 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_3.doc	63.638 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_4.doc	76.983 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_6.doc	59 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_10.doc	82.081 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_11.doc	60.771 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_12.doc	75.387 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_14.doc	57.144 KB
16244_csr_16.2.8.1_clinical_laboratory_data_part_15.doc	56.644 KB



data[Part2]

Table of contents

16.2.8.1 Clinical laboratory data[Part2]	1
Listing 16.2.8.1 / 1: Clinical laboratory data - Hematology (Continue.).....	2

Introduction

iListing - why?

- Working with listings?
 - Hardly possible, slow to open / search
 - Tough to find one subject on multiple documents
 - Quality checks are based on listing outputs
- iListing was born
 - Interactive listings
 - Sorting, filtering & more
 - Presented 2021



Introduction

iTable - why?

- Working with tables?
 - Better than listings, less pages, summaries, overviews
 - Still many documents
 - Compare summaries could also be time consuming
 - Linking tables to listings to enable quick insights

- iTable was born
 - Enhance tool
 - Additional features
 - Little effort to create





The Solution

Experimental Version!



iListing / iTable

Enabling quick and easy navigation and filtering for tables and listings - Version from 2024-04-04

[Watch demo video](#)

Study Selection


Selection: Example4

- ☐ Study: Voyager PAD (17454) Pilot study
- ☐ Example for Listings For all with SWAN access
- ☐ Example for Tables For all with SWAN access
- ☐ Example for both For all with SWAN access
- ☒ Example for Subject Info For all with SWAN access

iLogin



The Solution



The Solution

iTable	
14. Tables and figures referred to but not included in the text	
14.1 Demographics	
14.1.1 Disposition	
Table 14.1.1 / 1: Study sample sizes by region (all enrolled subjects excluding subject	
Table 14.1.1 / 2: Distribution of subjects among countries (all randomized subjects)	
Table 14.1.1 / 3: Distribution of subjects among countries (full analysis set)	
Table 14.1.1 / 4: Subject validity and primary reasons for exclusion from analysis (all randomized subjects)	
Table 14.1.1 / 5: Subject disposition (all enrolled subjects)	
Table 14.1.1 / 6: Disposition: End of run-in (all enrolled subjects)	
Table 14.1.1 / 7: Disposition: End of screening (all subjects who completed run-in)	
Table 14.1.1 / 8: Disposition: End of treatment (all randomized subjects)	
Table 14.1.1 / 9: Disposition: End of treatment (full analysis set)	
Table 14.1.1 / 10: Disposition: End of follow-up (all randomized subjects entering follow-up epoch)	

Table of contents

14. Tables and figures referred to but not included in the text	1
14.1 Demographics	7
14.1.1 Disposition	8
Table 14.1.1 / 1: Study sample sizes by region (all enrolled subjects excluding subjects switched to 17530)	9
Table 14.1.1 / 2: Distribution of subjects among countries (all randomized subjects)	117
Table 14.1.1 / 3: Distribution of subjects among countries (full analysis set)	119
Table 14.1.1 / 4: Subject validity and primary reasons for exclusion from analysis (all randomized subjects)	121
Table 14.1.1 / 5: Subject disposition (all enrolled subjects)	122
Table 14.1.1 / 6: Disposition: End of run-in (all enrolled subjects)	123
Table 14.1.1 / 7: Disposition: End of screening (all subjects who completed run-in)	124
Table 14.1.1 / 8: Disposition: End of treatment (all randomized subjects)	125
Table 14.1.1 / 9: Disposition: End of treatment (full analysis set)	126



The Solution

14. Tables and figures referred to but not included in the text		
14.1 Demographics		
14.1.1 Disposition		
Table 14.1.1 / 1: Study sample sizes by region (all enrolled subjects excluding subjects switched to 17530)		
Table 14.1.1 / 2: Distribution of subjects among countries (all randomized subjects)		
Table 14.1.1 / 3: Distribution of subjects among countries (full analysis set)		
Table 14.1.1 / 4: Subject validity and primary reasons for exclusion from analysis (all randomized subjects)		
Table 14.1.1 / 5: Subject disposition (all enrolled subjects)		

Reasons for exclusion from analysis (all randomized subjects) Experimental Version!		
6 (100%)	Placebo N=2868 (100%)	Total N=5734 (100%)
Search...	Search...	Search...
	2841 (99.1%)	5674 (99.0%)
	2831 (98.7%)	5658 (98.7%)
	2451 (85.5%)	4842 (84.4%)
	0	2515 (43.9%)
	27 (0.9%)	60 (1.0%)
	27 (0.9%)	60 (1.0%)
	37 (1.3%)	76 (1.3%)
	10 (0.3%)	16 (0.3%)
	417 (14.5%)	892 (15.6%)
	263 (9.2%)	611 (10.7%)
	52 (1.8%)	108 (1.9%)



The Solution

>

Listing 10.2.4 / 5: Demographics

Experimental Version!

 (1)

row	Unique Subject Identifier	Treatment Group	Birth Date	Age/Sex/Race	Ethnicity
970	16480	BAY 94-8862	1964-----	54/M/A	NOT HISPANIC

Listing 10.2.7 / 1: Adverse events

Experimental Version!

 (3)

row	Treatment Group	Unique Subject Identifier	Preferred Term	Start Prior	Serious	Reasons	Start Date	Start Time	End Date
3640	BAY 94-8862	016480/54/M...	Chronic obstr...	NO	YES	Requires or Pr...	2014-05-28		2014-06-1
3641	BAY 94-8862	016480/54/M...	Hypertension/...	NO	NO		2014-05-28		2014-05-2
3642	BAY 94-8862	016480/54/M...	Chronic obstr...	NO	YES	Results in Death	2014-08-13		2014-08-1

Listing 10.2.8.1 / 1: Clinical laboratory data - Hematology

Experimental Version!

 (24)

row	Treatment Group	Unique Subject Identifier	Visit	Specimen Collection	Laboratory Test	Specimen
41737	BAY 94-8862	016480/54/M/A	Run In	19MAR2014/08:50	Hematocrit (%) in Blood - ...	NORMA
41738	BAY 94-8862	016480/54/M/A	Run In	19MAR2014/08:50	Hemoglobin (g/dL) in Blood	NORMA
41739	BAY 94-8862	016480/54/M/A	Run In	19MAR2014/08:50	Erythrocytes (T/L) in Blood	NORMA
41740	BAY 94-8862	016480/54/M/A	Run In	19MAR2014/08:50	Ery. Mean Corpuscular Vo...	NORMA



The Architecture



The Architecture

Frontend

- React Web Application
- Backend files
- Access via API (security)



Web Application

The screenshot shows a web application interface. On the left, there is a sidebar titled 'Listings' with a list of items. On the right, there is a table titled 'graphics (ITT analysis set)' with 6564 rows. The table has columns for Age/Sex/Race, Applicable R..., Baseline Hel..., Baseline Wel..., and Baseline Bod....

Age/Sex/Race	Applicable R...	Baseline Hel...	Baseline Wel...	Baseline Bod...
84/M/W	WHITE	165	55	20.2
76/M/W	WHITE	176	92	29.7
76/F/W	WHITE	163	76	28.6
80/F/W	WHITE	164	80	29.7
64/M/W	WHITE	165	72	26.4
85/F/W	WHITE	160	56	21.9
58/F/W	WHITE	162	84	32
65/M/W	WHITE	176	79	25.5
72/M/W	WHITE	165	69	25.3
55/M/W	WHITE	175	65	21.2
74/M/W	WHITE	175	86.7	28.3
59/F/W	WHITE	158.6	98	39
62/M/W	WHITE	183	109.5	32.7
55/M/W	WHITE	182	95.1	28.7
60/M/W	WHITE	177.3	96.5	30.7
60/M/W	WHITE	177	101.8	32.5

API

Metadata & data

<listing
metadata>

dataX.csv


<table
metadata>

dataX.csv




The Architecture

Metadata & Content data generation



The Architecture

Metadata & Content data generation



The Architecture


Backend / Data Generation



CSR
Tables



Table Content &
Metadata



SAS Program

%iListing4Tab(...)

Metadata & data


<table
metadata>

dataX.csv

CSR
Listings



Listing Content &
Metadata



SAS Program

%iListing (...)

Metadata & data

<listing
metadata>

dataX.csv



The Implementation



The Implementation

The Metadata

Generic information

- Study / pool number
- Metadata version
- Type (tables or listings)
- Location of metadata files
- Is special subject-linkage available
- Does subject filters apply (these should only apply for listings)



The Implementation

The Metadata

Order of tables or listings with section hierarchy if applicable

Per table / listing

- Identifier of the content dataset
- Title (including number)
- Footnotes
- Related origin program name
- Related final document name
- Display variables
- Split variables (in case column shrink/enlarge should be available)
- Subject variables (for subject filters)
- Number of observations (for completeness checks)
- Variables





The Implementation

The Metadata

Per table / listing

- Variables
 - Id
 - Label
 - Is it a date variable?
 - Is it a dropdown variable?
 - Does this belong to a “split-group”
to enlarge/shrink content





The Implementation

The „split“ feature

Table 14.1.3 / 1: Demographics by Region (full analysis set) Experimental Version!						
row	Pooled region	+	BAY 94-8862	Placebo	Total	
Sear...			Search...	Search...	Search...	
1	Europe	Race				
2	Europe	WHITE	1158 (98.0%)	1141 (97.0%)	2299 (97.5%)	
3	Europe	BLACK OR AFRICAN A...	10 (0.8%)	10 (0.9%)	20 (0.8%)	
4	Europe	ASIAN	11 (0.9%)	20 (1.7%)	31 (1.3%)	
5	Europe	AMERICAN INDIAN O...	0	0	0	
6	Europe	NATIVE HAWAIIAN O...	0	0	0	
7	Europe	NOT REPORTED	2 (0.2%)	5 (0.4%)	7 (0.3%)	
8	Europe	MULTIPLE	1 (<0.1%)	0	1 (<0.1%)	
9	Europe	Sex				
10	Europe	Male	818 (69.2%)	859 (73.0%)	1677 (71.1%)	
11	Europe	Female	364 (30.8%)	317 (27.0%)	681 (28.9%)	
12	Europe	Age (YEARS)				



The Implementation

The „split“ feature



- Consider performance first
- What to implement in backend / file generation
- What to implement in frontend / display

NAME_	NAME_ILI1	NAME_ILI2	NAME_ILI3	NAME_ILI4
Number (%) of subjects with pre-randomi	Number (%) of subje			
Any AE	Number (%) of subje	Any AE		
Maximum intensity for any AE	Number (%) of subje	Any AE	Maximum intensity for any AE	
MILD	Number (%) of subje	Any AE	Maximum intensity for any AE	MILD
MODERATE	Number (%) of subje	Any AE	Maximum intensity for any AE	MODERATE
Any study drug-related AE	Number (%) of subje	Any AE	Any study drug-related AE	
Any AE related to procedures require	Number (%) of subje	Any AE	Any AE related to procedures requ	
Any AE leading to discontinuation o	Number (%) of subje	Any AE	Any AE leading to discontinuation	
Any SAE	Number (%) of subje	Any SAE		
Any study drug-related SAE	Number (%) of subje	Any SAE	Any study drug-related SAE	
Any SAE related to procedures requi	Number (%) of subje	Any SAE	Any SAE related to procedures rec	
Any SAE leading to discontinuation	Number (%) of subje	Any SAE	Any SAE leading to discontinuati	
AE with outcome death	Number (%) of subje	AE with outcome		

NAME

is split up into

_NAME_ILI1

_NAME_ILI2

_NAME_ILI3

_NAME_ILI4

The Implementation

The „split“ feature



```
"tf_adae_1" : {
  "id" : "tf_adae_1",
  "titles" : ["Table 14.3.1 / 1: Overall summary of number of subjects ..."],
  ...,
  "columnGroupBase" :
    [{ "_NAME_" :
      [ "_NAME__ILI1" , "_NAME__ILI2" , "_NAME__ILI3" , "_NAME__ILI4" ]
    }],
  "vars" : {
    "_name_" : {
      "id" : "_name_",
      "isDate" : false,
      "isDropdown" : true,
      "columnGroupBase" : "_NAME__ILI1 _NAME__ILI2 _NAME__ILI3 _NAME__ILI4",
      "label" : " "
    },
    "_name__ili1" : {
      "id" : "_name__ili1",
      "isDate" : false,
      "isDropdown" : true,
      "columnGroupParent" : "_NAME_",
      "label" : " "
    },
    ...
  }
}
```



The Implementation

Virtualization over Pagination



Pagination:

- Divides content into discrete pages, requiring users to navigate between them.
- Drawbacks:
 - Load Times
 - User Frustration
 - Limited Visibility

Show 10 entries			Search:
	table_name	libname	dataset
1	eu_ema_shortages	eu_ema	shortages
2	us_clinical_trials_brief_summaries	us_clinical_trials_brief	summaries
3	us_fda_drugs_products	us_fda_drugs	products
4	us_clinical_trials_designs	us_clinical_trials	designs
5	us_clinical_trials_links	us_clinical_trials	links
6	us_fda_drugs_aplication_docs	us_fda_drugs_aplication	docs
7	us_fda_ndc_product	us_fda_ndc	product
8	us_clinical_trials_result_groups	us_clinical_trials_result	groups
9	us_fda_ndc_excluded_packages	us_fda_ndc_excluded	packages
10	us_clinical_trials_provider_documents	us_clinical_trials_provider	documents
Showing 1 to 10 of 111 entries			Previous 1 2 3 4 5 ... 12 Next

Screenshot from https://phuse-org.shinyapps.io/01_podr/

The Implementation

Virtualization over Pagination



Virtualization:

➤ Loads only the visible items in a list or grid, dynamically rendering as the user scrolls.

➤ Benefits

➤ Performance

➤ User Experience

➤ Scalability

Listing 10.2.3.1 / 1: Clinical laboratory data - General chemistry **Experimental Version!** (1618040)

row	Treatme...	Unique S...	Visit	Specime...	Laborato...	Specime...	Value	Flag	Normal R...	Normal R...	Standard...
S.		Search...	Search...	Search...	Search...	Search...	Search...	Search...	Search...	Search...	Search...
1		006340/63/...	Run In	06DEC2013...	Hemoglobin ...	NORMAL	10.9	HIGH		6.5	%
2		006340/63/...	Run In	06DEC2013...	Urate (mg/d...	NORMAL	8.3	NORMAL	2.5	8.3	mg/dL
3		006340/63/...	Run In	06DEC2013...	Magnesium (...)	INSUFFICIE...					
4		006340/63/...	Run In	06DEC2013...	Sodium (mm...	NORMAL	141	NORMAL	135	145	mmol/L
5		006340/63/...	Run In	06DEC2013...	Potassium (...)	NORMAL	4.3	NORMAL	3.4	5.4	mmol/L
6		006340/63/...	Run In	06DEC2013...	Creatinine (...)	NORMAL	1.55	HIGH	0.45	1.35	mg/dL
7		006340/63/...	Run In	06DEC2013...	Glomerular ...	NORMAL	46.9				mL/min/1.7...
8		006340/63/...	Run In	06DEC2013...	Blood Urea ...	NORMAL	24	NORMAL	4	24	mg/dL
9		006340/63/...	Run In	06DEC2013...	Protein (g/d...	NORMAL	6.4	NORMAL	6	8	g/dL
10		006340/63/...	Run In	06DEC2013...	Albumin (g/d...	NORMAL	4.2	NORMAL	3.3	4.9	g/dL
11		006340/63/...	Run In	06DEC2013...	C Reactive P...	NORMAL	7.27	HIGH		2.87	mg/L
12		006340/63/...	Run In	06DEC2013...	Aspartate A...	NORMAL	30	NORMAL	11	36	U/L
13		006340/63/...	Run In	06DEC2013...	Alanine Ami...	NORMAL	29	NORMAL	6	43	U/L

The Implementation

Sort & Filter



Performance:

➤ How to sort / filter / store status

➤ Index list as display list

➤ [1, 2, 3, 4]

➤ Reverse sorting -> [4, 3, 2, 1]

➤ Filtering -> [1, 2, 4]

Listing 10.2.3.1 / 1: Clinical laboratory data - General chemistry **Experimental Version!** (1618040)

r..	Treatm...	Unique ...	Visit	Specim...	Laborat...	Specim...	Value	Flag	Normal ...	Normal ...	Standar...
S		Sear...	Sear...	Sear...	Sear...	Sear...	Sear...	Sear...	Sear...	Sear...	Sear...
1		006340/6...	Run In	06DEC201...	Hemoglobi...	NORMAL	10.9	HIGH		6.5	%
2		006340/6...	Run In	06DEC201...	Urate (mg/...	NORMAL	8.3	NORMAL	2.5	8.3	mg/dL
3		006340/6...	Run In	06DEC201...	Magnesi...	INSUFFICI...					
4		006340/6...	Run In	06DEC201...	Sodium (m...	NORMAL	141	NORMAL	135	145	mmol/L
5		006340/6...	Run In	06DEC201...	Potassium ...	NORMAL	4.3	NORMAL	3.4	5.4	mmol/L
6		006340/6...	Run In	06DEC201...	Creatinine ...	NORMAL	1.55	HIGH	0.45	1.35	mg/dL
7		006340/6...	Run In	06DEC201...	Glomerula...	NORMAL	46.9				mL/min/1...
8		006340/6...	Run In	06DEC201...	Blood Urea...	NORMAL	24	NORMAL	4	24	mg/dL
9		006340/6...	Run In	06DEC201...	Protein (g/...	NORMAL	6.4	NORMAL	6	8	g/dL
10		006340/6...	Run In	06DEC201...	Albumin (g...	NORMAL	4.2	NORMAL	3.3	4.9	g/dL
11		006340/6...	Run In	06DEC201...	C Reactive ...	NORMAL	7.27	HIGH		2.87	mg/L
12		006340/6...	Run In	06DEC201...	Aspartate ...	NORMAL	30	NORMAL	11	36	U/L
13		006340/6...	Run In	06DEC201...	Alanine A...	NORMAL	29	NORMAL	6	43	U/L

The Implementation

Sort & Filter

>

Listing 10.2.3.1 / 1: Clinical laboratory data - General chemistry

Experimental Version!

(1618040)

row	Treatm...	Unique ...	Visit	+ Spe...	Laborat...	Specim...	Value	Flag	Normal...	Normal...	Standa...
Se...		Sear...		Sear...			Sear...		Sear...	Sear...	
1		006340/6...	Run In	06DEC20...	Hemoglobi...	NORMAL	10.9	HIGH		6.5	%
2		006340/6...	Run In	06DEC20...	Urate (mg/...	NORMAL	8.3	NORMAL	2.5	8.3	mg/dL
3		006340/6...	Run In	06DEC20...	Magnesi...	INSUFFICI...					
4		006340/6...	Run In	06DEC20...	Sodium (m...	NORMAL	141	NORMAL	135	145	mmol/L
5		006340/6...	Run In	06DEC20...	Potassium ...	NORMAL	4.3	NORMAL	3.4	5.4	mmol/L
6		006340/6...	Run In	06DEC20...	Creatinine...	NORMAL	1.55	HIGH	0.45	1.35	mg/dL
7		006340/6...	Run In	06DEC20...	Glomerula...	NORMAL	46.9				mL/min/1....
8		006340/6...	Run In	06DEC20...	Blood Ure...	NORMAL	24	NORMAL	4	24	mg/dL
9		006340/6...	Run In	06DEC20...	Protein (g/...	NORMAL	6.4	NORMAL	6	8	g/dL
10		006340/6...	Run In	06DEC20...	Albumin (g...	NORMAL	4.2	NORMAL	3.3	4.9	g/dL
11		006340/6...	Run In	06DEC20...	C Reactive...	NORMAL	7.27	HIGH		2.87	mg/L
12		006340/6...	Run In	06DEC20...	Aspartate ...	NORMAL	30	NORMAL	11	36	U/L
13		006340/6...	Run In	06DEC20...	Alanine A...	NORMAL	29	NORMAL	6	43	U/L



The Implementation

Linking tables to listings

Metadata:

"subjectmetadataset" : "s_t_adds_4",

"subject" : "SUBJIDN",

"list_id" : "l_16_2_4_5_demo_1",

Table Dataset

NAME	_COL1_	_COL2_	_COL3_	_RO
Subjects valid for full analysis	2833 (98.8%)	2841 (99.1%)	5674 (99.0%)	1
Subjects valid for safety analysis	2827 (98.6%)	2831 (98.7%)	5658 (98.7%)	2
Subjects valid for per protocol ar	2391 (83.4%)	2451 (85.5%)	4842 (84.4%)	3
Subjects valid for pharmacokine	2515 (87.8%)	0	2515 (43.9%)	4
				5
Excluded from full analysis	33 (1.2%)	27 (0.9%)	60 (1.0%)	6
PROCEDURE DEVIATIONS	33 (1.2%)	27 (0.9%)	60 (1.0%)	7

Subject-Table Dataset

ROW	SUBJIDN	METADAT	COLUMN
1	86	t_adds_4	_COL1_
1	99	t_adds_4	_COL1_
1	148	t_adds_4	_COL1_
1	171	t_adds_4	_COL1_
1	173	t_adds_4	_COL1_
1	204	t_adds_4	_COL1_
1	282	t_adds_4	_COL1_
1	323	t_adds_4	_COL1_

Filter

The Implementation

Linking tables to listings

Table 14.1.2 / 1: Demographics (full analysis set) Experimental Version!				
row		BAY 94-8862 N=2833 (10...	Placebo N=2841 (100%)	Total N=5674 (100%)
	Search...	Search...	Search...	Search...
1	Race			
2	WHITE	1777 (62.7%)	1815 (63.9%)	3592 (63.3%)
3	BLACK OR AFRICAN AME...	140 (4.9%)	124 (4.4%)	264 (4.7%)
4	ASIAN	717 (25.3%)	723 (25.4%)	1440 (25.4%)
5	AMERICAN INDIAN OR A...	78 (2.8%)	76 (2.7%)	154 (2.7%)
6	NATIVE HAWAIIAN OR O...	11 (0.4%)	7 (0.2%)	18 (0.3%)
7	NOT REPORTED	9 (0.3%)	10 (0.4%)	19 (0.3%)
8	MULTIPLE	101 (3.6%)	86 (3.0%)	187 (3.3%)
9	Sex			
10	Male	1953 (68.9%)	2030 (71.5%)	3983 (70.2%)
11	Female	880 (31.1%)	811 (28.5%)	1691 (29.8%)
12	Age (YEARS)			
13	n	2833	2841	5674
14	Mean (SD)	65.44 (8.94)	65.67 (9.15)	65.56 (9.05)
15	Median	66	66	66
16	Q1, Q3	60.00, 72.00	60.00, 72.00	60.00, 72.00
17	Min, Max	32.0, 89.0	28.0, 89.0	28.0, 89.0
18	Age group (years) category			
19	18 - 44 years	49 (1.7%)	65 (2.3%)	114 (2.0%)
20	45 - 64 years	1156 (40.8%)	1109 (39.0%)	2265 (39.9%)
21	65 - 74 years	1197 (42.3%)	1203 (42.3%)	2400 (42.3%)
22	>= 75 years	431 (15.2%)	464 (16.3%)	895 (15.8%)



Use Cases



Use Cases

Utilizing iListing & iTables

- Medical Writer,
 - Write CSR, narratives, ...
- Reviewer
 - Deep dive into data
- Quality Checks
 - Cross checks of values
- Browse deliverables
- Smooth and quick navigation
- Access data at the fingertips




Use Cases

Utilizing iListing & iTables

- Potential for others
 - Statisticians, Statistical Analysis (if no better tool is available)
 - External Medical Writing
 - Authorities

- Enable security
- Package





Opportunities

Opportunities

Options forward

- Additional enhancements
- Utilization in open space
- Concept is tool agnostic
 - RShiny
 - Vue
 - ...
- Utilizing the Analysis Result Standards
 - Developing ARS+, ARD+



Opportunities

Options forward

- Analysis Result Standards utilization
 - Checkout solution {cards} / {cardx}



```
df_continuous_ard <-
  ard_continuous(
    ADSL,
    by = ARM,
    variables = AGE,
    statistic = ~ continuous_summary_fns(c("median", "p25", "p75", "mean", "sd", "min",
    )
df_continuous_ard |> head(5)
#> {cards} data frame: 5 x 10
#>   group1 group1_level variable stat_name stat_label  stat
#> 1   ARM      Placebo      AGE      median      Median    76
#> 2   ARM      Placebo      AGE        p25          Q1     69
#> 3   ARM      Placebo      AGE        p75          Q3     82
#> 4   ARM      Placebo      AGE        mean        Mean 75.209
#> 5   ARM      Placebo      AGE         sd          SD    8.59
#> i 4 more variables: context, fmt_fn, warning, error
```



Summary

Summary

- iListing & iTable very successful @Bayer
 - Medical Writing enabled fluent access to data
 - Quality function works much smarter
 - Effort for programming minimal (~30' updating & running macros)
-
- Most important
 - Performance
 - User feedback





Summary

- Potential
 - Enlarge scope
 - Enable authorities
 - Utilize / enhance new standards (ARS)





Thank you!



Bye-Bye

