

Single Day Event

Visual Analytics for Real-Time Study Monitoring

Libin Varghese,
Technical Lead
PointCross Life Sciences



Disclaimer

Date: [21-06-2025]
Presenter: Libin Varghese
Organization: PointCross Life Sciences

Intellectual Property:

This presentation may include materials and information protected by copyright, trademarks, or other intellectual property rights belonging to PointCross Life Sciences. Use of such material is made under the fair use doctrine for educational, informational, and non-commercial purposes only. Any reproduction, redistribution, or use of the material beyond fair use may require the permission of the copyright holders.

Confidentiality Notice:


This presentation may contain confidential or proprietary information intended only for the use of the individuals or entities to whom it is addressed. If you are not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this presentation is strictly prohibited.

Questions and Contact Information:

For questions or more information about this presentation, please contact [libin@pointcross.com].

- The First Digital Data Dashboard
- Importance of Modern Dashboards
- What Happens Without a Modern Dashboard?
- Principles of Effective Dashboard Design
- Real-Time Dashboards
- Subject-Level Tracking
- Integrated Data Sources
- Purpose-Built Statistical Graphics and Plots
- Benefits of Xbiom over traditional BI Tools
- References

The First Digital Data Dashboard






Importance of Modern Dashboards



Reduce analysis
paralysis



Let the eyes do
the work 👁️



A picture is worth
a thousand
words... or a
thousand Excel
cells! 😊



Enables better
storytelling



Faster
Conclusions,
Smarter
Decisions



Flying Blind: What Happens Without a Modern Dashboard?

Challenges Without Modern Dashboards / Generic BI Tools

- No Central Dashboard
- Difficult Data Integration
- Too Many Stakeholders Involved
- Manual Standardization Required
- Delayed Insights
- Version Control Chaos
- Error-Prone Processes

Advantages of Modern Dashboards in Study Monitoring

- Real-Time Visibility
- Integrated Data Sources
- Faster Decision-Making
- Reduced Manual Work
- Improved Collaboration
- Early Risk Detection
- Audit Trail & Traceability
- Customizable Views



Principles of Effective Dashboard Design



Simplicity and Clarity

Reduce clutter to focus user attention on key insights essential for decisions.



Visual Hierarchy

Use layout and size to guide users naturally through important data points.



Color Palette

Leverage color strategically to differentiate, highlight, and convey status or severity.



Data Density

Balance comprehensive data display with readability to avoid overwhelming users.



Interactivity

Enable drill-downs and filters for users to explore data nuances effectively.



PointCross Xbiom™

Xbiom platform is designed for data integration, standardization & visualization of the Trial data. Xbiom's visualization tool enables rapid development of customizable dashboards to drive real-time study oversight.

- **Real-Time Dashboards**

Automatically ingest and visualize clinical data as it's updated.

- **Subject-Level Tracking**

Drill-down views for patient-level trends: AEs, visit adherence, dosing, labs, etc.

- **Integrated Data Sources**

Integrated Data Sources.

- **Purpose-Built Statistical Graphics and Plots**

Ready-to-use visuals such as:

Kaplan-Meier plots


Boxplots and histograms for lab trends

Heatmaps for AE severity across treatment arms




Real-Time Dashboards

CLINICAL001 : A Phase 1/2 Open-label, Multicenter, Dose Escalation and Dose Expansion Study of the Safety, Tolerability, and Pharmacokinetics of DRUG001 in Patients with Advanced Cancers



Real time overview of the progress of the trial with respect to time, patient enrolled per cohort/site, along with the important endpoints/events displayed on the timeline.



Integrated view helps in drawing the correlation to physiological /pathological changes.



Integrated Data Sources

Home

Cohort

TFL (ACTARMCD)

Cohort

Add Study

Data

Source Data

Add Columns

Run R-Script

Load Template

Templates

TFL

Save TFL

Open TFL

Export

Parameters

Advanced Data Filter

Options

Visit:

All

Subjects:

CLINICAL001-PC033-111 X

CLINICAL001-PC033-115 X

CLINICAL001-PC032-114 X

CLINICAL001-PC032-105 X

Combine Sex: ☒

Exclude Normal: ☒

Consider Exclusions: ☒ (264)

Table

Figures

R Templates

Code

```
42 '''r url_data, warning= FALSE,error = FALSE,include=FALSE)
43
44
45 if (any(names(IGOConfig) %in% c('interventionurl'))){
46   if(IGOConfig$interventionurl==''){
47     ids<-1
48     subj_list <- unique(df$SUBJID)
49     for (sub_id in subj_list){
50       if(ids==1){
51         sub_list<- paste0('%20and%20(USUBJID%20eq%20%27',sub_id,'%27')
52         ids<-ids+1
53       }else{
54         sub_list<- paste0(sub_list,'%20or%20USUBJID%20eq%20%27',sub_id,'%27')
55       }
56     }
57     sub_list<- paste0(sub_list,')')
58     json_file<-paste0(IGOConfig$interventionurl)
59     #print(json_file)
60     json_file <- gsub('%20and%20CAT_ID%20eq%20-1018843','%20',json_file)
61     json_file <- gsub('%20and%20CAT_ID%20eq%20-1018855%20and%20ECOC_ID%20eq%20-1018859','%20',json_file)
62     json_file <- gsub('%20and%20CAT_ID%20eq%20-1018888%20and%20ECOC_ID%20eq%20-1018922','%20',json_file)
63     #print(json_file)
64     #json_file<-paste0(IGOConfig$serverurl)
65     #json_file<- paste0(json_file,"Interventions?select=DOMAIN,STUDYID,USUBJID,SEX,ACTARMCD,INDC,TRT,CAT,DOSE,dosy,dy,STDY,STDTC,
66
67     json_file<-gsub('STUDYID',paste0('COVAL',' ', 'STDTC',' ', 'ENDTC',' ', "DOSU"," ", "DOSEFLG"," ", "REASND,ROUTE,VISIT,S_CLAS"), js
68     #json_file<-paste0(json_file, "%20or%20(CAT%20eq%20%27Others%27)")
69     json_file<-paste0(gsub('filter=',paste0('filter=()', json_file), ")") ,sub_list)
70     url_data<-jsonlite::fromJSON(gsub('ActiveSession','eeyqrK3SA18885C0454D1295ADG21261226ee6b5e4ef08', json_file))[2][1][1]
71     ADJ_Ex<-c()
72     for (i in 1:(length(url_data$ADJ))) {
73       if (length(url_data$ADJ[i])<1){url_data$ADJ[i]<-''}
74       ADJ_Ex<-append(ADJ_Ex,url_data$ADJ[i])
75     }
76     url_data$ADJ <-ADJ_Ex
77     url_data <- url_data[which(url_data$VISIT=='')==FALSE | str_detect(url_data$CAT,"Prior"),] %>%
78       filter((CAT!="others") | (CAT=="others" & CLAS %in% c("OTHER ANTINEOPLASTIC AGENTS", "OTHER IMMUNOSUPPRESSANTS","MONOCLONA
79     })
80   }
81   co_file<-paste0(IGOConfig$serverurl)
82   co_file<- paste0(co_file,"SpecialPurpose?select=STUDYID,DOMAIN,VISIT,VISITNUM,USUBJID,COREF,COVAL&filter=DOMAIN%20eq%20%27C
83   co_file<-paste0(gsub('filter=',paste0('filter=()', co_file), ")") ,sub_list)
84   rco_data<-jsonlite::fromJSON(gsub('ActiveSession','eeyqrK3SA18885C0454D1295ADG21261226ee6b5e4ef08', co_file))[2][1][1] %>% cat=
```

Preview

CLINICAL001-PC033-111; Cohort#5 1215 ug DRUG001 1215 ug

CLINICAL001-PC033-111; Cohort#5 Female; Small Cell Lung Cancer:High grade:IVT4NXM1; ; 1215 ug DRUG001 1215 ug

Dose (ug)	Dex (mg)	Infusion EndTime	Visit	Date	Time	GM-CSF pg/mL	IFN-g pg/mL	IL-2 pg/mL	IL-3 ug/L	IL-4 pg/mL	IL-5 pg/mL	IL-6 pg/mL	IL-7 pg/mL	IL-8 pg/mL	IL-10 pg/mL	IL-18 pg/mL	M 1 pg	
			SCR	2021-08-08														
1215	10+10	08/09 17:44	C1D1	2021-08-09	15:28	18	3	32	0	37	4	12	21	91	4	144	2	
			C1D1_5H	2021-08-09	22:08	18	70	453	0	37	4	113	21	443	652	132	6	
			C1D2_USCH:16H	2021-08-10	10:10	18	138	32	0	37	4	361	21	248	1470	152	2	
			C1D2_USCH1:16H	2021-08-10	10:10	18	146	157	0	37	4	342	21	265	1650	169	5	
			C1D2_24H	2021-08-10	17:55	18	94	32	0	37	4	244	21	255	1280	169	2	
			C1D3_48H	2021-08-11	17:44	18	10	32	0	37	4	11	21	86	353	239	2	
			C1D4	2021-08-13	09:50	18	3	32	0	37	4	236	21	74	22	379	2	
1215	10+10	08/16 14:32	C1D8	2021-08-16	12:50	18	3	32	0	37	4	252	21	18	4	239	2	
			C1D8_5H	2021-08-16	19:45	18	3	69	0	37	4	133	21	30	42	239	2	
			C1D9_USCH:23H	2021-08-17														
			C1D10_USCH:42H	2021-08-18	09:15	18	3	32	0	37	4	311	21	30	18	187	2	
1215	5+5	08/24 11:45	C1D15	2021-08-24	09:30	18	3	32	0	37	4	128	21	74	4	160	2	
			C1D15_5H	2021-08-24	16:23	18	3	32	0	37	4	73	21	52	15	222	5	

Data Frame

Download

Run R-Script

SCE within the tool allows to pull the data, customize the scripts to generate desired analysis results.




Integrated Data Sources

CLINICAL001-PC033-111 (1215 ug)

Dose	VISIT	Date	Time	FCSI_ID	% OF CD3+ T Cells	% OF CD45+ T Cells	cells/uL T Cells	% OF CD3+ T Cells	% OF CD45+ T Cells	cells/uL T Cells	% OF CD3+ T Cells	% OF CD45+ T Cells	cells/uL T Cells	% OF CD3+ T Cells	% OF CD45+ T Cells	cells/uL T Cells	% OF CD3+ T Cells	% OF CD45+ T Cells	PK ng/mL	PK 2H	PK 96H	PK EOI	ADA NA	Doc/Toc(mg) NA	Related/Not Related/ AE
					CD45+CD3+ CD4+	CD45+CD3+ CD8+		CD45+CD3+ CD8+CD25+	CD45+CD3+ CD8+CD25+		CD45+CD3+ CD8+CD25+	CD45+CD3+ CD8+CD25+		CD45+CD3+ CD8+CD25+	CD45+CD3+ CD8+CD25+		CD45+CD3+ CD8+CD25+	CD45+CD3+ CD8+CD25+	ng/mL						
1215ug	SCR	2021-08-06																							SCR Gr2 Others Hyponatraemia(08/06-08/17)/DLT-No
	C1D1	2021-08-09	15:28:00		89.1	7.5	84.5961	9.8	0	0.2732	0	0.786	7.9035	1	3.4584	33.4093	4.4	40.7	0	605			+	187.0/175.1	
	C1D1_5H	2021-08-09	22:06:00		80.3	10.3	12.1709	17.1	0.0974	0.1264	0.2	1.461	1.7439	3	3.896	4.6126	8	38	455				+	187.0/175.1	
	C1D2_24H	2021-08-10	17:55:00		85	8.2	11.5354	13.4	0.1804	0.3948	0.4	3.9237	7.6836	8.7	5.7728	11.2672	12.8	99.2	328						C1D2 Gr2 Others Hypotension(08/10)/DLT-No C1D2 Gr1 Others Alanine aminotransferase increased(08/10-08/16)/DLT-No; C1D2 Gr2 Others Lymphocyte count decreased(08/10-08/13)/DLT-No
	C1D3_48H	2021-08-11	17:44:00		89.3	5.5	14.4838	9.5	0.0597	0.1919	0.1	3.1641	8.512	5.3	3.2835	8.8547	5.5	51.5	288		254				C1D3 Gr1 Others Neurotoxicity(08/11-08/13)/DLT-No C1D3 Gr2 IRR Pyrexia(08/11); C1D3 Gr2 IRR Hypotension(08/11-08/12); C1D3 Gr2 IRR Cytokine release syndrome(08/11-08/15)/DLT-No; C1D4 Gr1 Others White blood cell count decreased(08/12-08/14)/DLT-No; C1D4 Gr2 Others Anemia(08/12->)/DLT-No; C1D4 Gr2 Others White blood cell count decreased(08/12)/DLT-No; C1D6 Gr2 Others White blood cell count decreased(08/14-08/15)/DLT-No; C1D10 Gr2 Others Hyponatraemia(08/16->)/DLT-No
	C1D8	2021-08-16	12:50:00		82.5	12.2	214.0135	16.1	0.0742	1.0062	0.1	1.7808	32.6444	2.4	7.2716	135.4594	9.8	56.5	100						
	C1D8_5H	2021-08-16	19:45:00		74.8	13.3	122.4311	22.8	0	0.1722	0	1.3824	14.9636	2.7	6.4	68.6817	12.5	52.7	962						
	C1D9_24H	2021-08-17	14:45:00		87.4	9.6	135.233	11.5	0	0.4002	0	1.2272	18.5022	1.6	8.8972	136.4419	11.6	96.5							
	C1D15	2021-08-24	09:30:00		82.9	13	80.4795	15.6	0	0.0796	0	2.1658	14.4592	2.6	7.5803	50.1694	9.1	57.8	119				-	174.5/175.1	C1D15 Gr1 Others Blood sodium decreased(08/23-11/15)/DLT-No; C1D15 Gr1 Others Lipase increased(08/23-09/13)/DLT-No; C1D15 Gr1 Others Neutrophil count decreased(08/24-09/13)/DLT-No; C1D15 Gr1 Others White blood cell count decreased(08/24-09/07)/DLT-No; C1D15 Gr1 Others Amylase increased(08/23-08/30)/DLT-No; C1D15 Gr2 Others Neutrophil count decreased(08/23-08/24)/DLT-No; C1D15 Gr2 Others White blood cell count decreased(08/23-08/24)/DLT-No
	C1D15_5H	2021-08-24	16:23:00		67.6	18	45.5213	29.9	0.363	1.1474	0.6	2.6015	7.8428	4.3	17.908	53.6846	29.6	99.8	1092				-	174.5/175.1	
	C2D1	2021-09-07																	67						C2D1 GrNA Others Neutropenia(08/30-09/07)/DLT-No
	C2D8	2021-09-07																	53						C2D8 Gr1 Others Hypotension(09/07-09/08)/DLT-No
	C2D15	2021-09-13																	188				+	1256.0/175.7	
	C2D15_5H	2021-09-13																	821				+	1256.0/175.7	
	C3D1	2021-09-20																	221				+	1328.0/175.7	Overall RECIST response: PR
	C3D1_5H	2021-09-20																	734				+	1328.0/175.7	

Integrated Data View (Adverse events, disease response, ADA, PK etc.,) and Biomarker data in a tabular view for a patients to aid in further analysis or correlation generation among cohort groups.



These plots go beyond generic charting tools — they are tailored to clinical workflows and support key metrics such as enrollment trends, subject disposition, protocol deviations, safety parameters - adverse events, lab abnormalities, and more.



Benefits of Xbiom over traditional BI Tools

- **Preconfigured Dashboards**

Tailor your views easily to focus on the most relevant metrics.

- **Interactive Interface**

Give Full flexibility.

- **Customizable**

Create visualizations quickly without coding expertise.

- **Real-Time Updates**

Guarantee timely data delivery for faster, informed decisions.

- **Security and Compliance**

Role-based access and audit trails ensure data protection and regulatory adherence.

If we have study with blinded and unblinded data, those restrictions can be permitted.

- <https://exceluser.com/the-first-excel-dashboard-report/>
- <https://hjalli.medium.com/the-first-digital-data-dashboard-13018ce7cc3a>
- <https://medium.com/%40rosalie24/the-art-of-data-visualization-in-dashboard-design-a9a6b5af0d41>
- <https://www.uxpin.com/studio/blog/dashboard-design-principles/>
- <https://medium.com/%40grow.com/why-most-bi-reporting-tools-fail-at-real-time-analytics-94a648146a59>

Thank you

XbiomTM makes data useful

Quality is never an accident. It's always the result of intelligent effort- John Ruskin



**The Global Healthcare
Data Science Community**

Contact Channels

UK +44 1843 609600
office@phuse.global
phuse.global

Social Media

@phusetwitta
/phusebook
/phusetube
/company/phuse

Questions and Contact Information:

For questions or more information about this presentation, please contact

[Libin Varghese, libin@pointcross.com]